

Insights into the Moisture Protecting Properties of Nutracore™ Label Friendly Filler

Colorcon, Inc. Harleysville, PA 19438, USA

Introduction and Objectives

Nutritional products, including protein powders, vitamins, and dietary supplements, are often sensitive to moisture, where even slight humidity increase can lead to undesirable outcomes. For instance, protein powders can agglomerate rendering them unpalatable and challenging to mix. Vitamins, may degrade rapidly, resulting in a loss of potency and dietary supplements can become a breeding ground for microbial activity. To safeguard the quality and effectiveness of these products, it is imperative to store them in moisture-resistant packaging and adhere to the recommended storage conditions. This diligence is crucial for both manufacturers and consumers to ensure that the nutritional products maintain their integrity and support optimal health and wellness for the consumer.

Nutracore™ Label Friendly Filler (Nutracore), has been found to provide superior protection against moisture for sensitive nutritional supplements due to its ability to tightly bind and hold onto water in tablet and capsule formulations.

Methods


The water activity (aw) and dynamic vapor sorption (DVS) behaviour were measured using a Rotronic HygroLab 3, Loss on Drying was measured using Mettler Toledo HX204 Excellence Plus Moisture Analyser and DVS Intrinsic (Surface Measurement Systems) equipment, respectively.

Results

Moisture content and Water Activity

Figure 1 gives the Loss on Drying (LOD) and water activity of various excipients measured at 21 °C. LOD shows the amount of water that is held inherently by an ingredient. Compared to other commonly used fillers, Nutracore has a slightly higher LOD; however, it also has the lowest water activity (aw) which means it has the highest capacity for binding to moisture, and thus preventing it from interacting with other moisture sensitive ingredients such as the active ingredients in nutritional supplements. **Nutracore shows the lowest water activity compared to other excipients.**

Figure 1. Loss on Drying and Water activity of Nutracore of common excipients




- Water activity (aw) is a measure of thermodynamic energy of freely available water
- Low level of free water means reduced likelihood of nutritional ingredient degradation
- Water activity values range from aw=0 (completely dry) to aw=1.0 (pure water)
- Low aw means water is strongly bound and free water less available for chemical reactions

Dynamic Vapor Sorption (DVS)

- DVS is a gravimetric sorption/desorption technique that measures how quickly and how much water is sorbed or desorbed by a sample at controlled relative humidity (RH) conditions.
- Rapidly measures uptake and loss of moisture by flowing a carrier gas at a specified relative humidity over the sample.
- Two cycles of sorption and desorption form a loop called hysteresis, which is a fingerprint for a powder, as not all the sorbed water can dissociate during desorption or drying. **Similar to Starch 1500 (Figure 2), DVS analysis shows that Nutracore (Figure 3) has a greater capacity to bind with water and hold onto it.**


Figure 2. DVS profile of Starch 1500



Conclusions and Discussion

Nutracore™ Label Friendly Filler, demonstrates excellent moisture scavenging properties compared to other commonly used pharmaceutical excipients, making it an excellent choice as part of a strategy for managing moisture, particularly when used in combination with Nutrafinish® Moisture Protection Coatings.

Figure 3. DVS profile of Nutracore Filler (NCF180049)



The information contained herein, to the best of Colorcon, Inc.'s knowledge is true and accurate. Any recommendations or suggestions of Colorcon, Inc. with regard to the products provided by Colorcon, Inc. are made without warranty, either implied or expressed, because of the variations in methods, conditions and equipment which may be used in commercially processing the products, and no such warranties are made for the suitability of the products for any applications that you may have disclosed. Colorcon, Inc. shall not be liable for loss of profit or for incidental, special or consequential loss or damages.

Colorcon, Inc. makes no warranty, either expressed or implied, that the use of the products provided by Colorcon, Inc., will not infringe any trademark, trade name, copyright, patent or other rights held by any third person or entity when used in the customer's application.

Colorcon is a global company located in North America, Europe, Middle East, Africa, Latin America, India, and China.

For more information website at www.colorcon.com